

DB235 DIN BEZEL DC235 DIN CRADLE

KIT CONTENTS




- 1 - DB235 DIN BEZEL (C)
- 1 - DC235 DIN CRADLE (D)
- 1 - INSTALLATION HARDWARE KIT
 - 1 - M4X8 BOLT AND LOCK WASHER FOR DIN CRADLE (F)
 - 2 - RUBBER BUMPER PADS FOR DIN CRADLE (E)
 - 2 - RUBBER O-RINGS FOR DIN BEZEL

INSTALLATION INSTRUCTIONS

1. REMOVE THE OUTER SLEEVE (B) FROM THE SOURCE UNIT (A).
2. SLIDE THE BEZEL (C) OVER THE SLEEVE FROM THE BACK WITH THE RECESS IN THE BEZEL FACING TOWARD THE SOURCE UNIT FACEPLATE.
3. INSERT THE SLEEVE AND BEZEL INTO THE CRADLE (D) FROM THE FRONT.
4. WITH THE SLEEVE AND BEZEL AS FAR BACK IN THE CRADLE AS POSSIBLE, FOLD OUT THE TABS ON ALL SIDES OF THE SLEEVE TO HOLD THE THREE PARTS TOGETHER.

NOTE: MAKE SURE THE BENDING TABS ARE NOT PROTRUDING OUTSIDE OF THE BEZEL.
5. INSTALL RUBBER BUMPER PADS (E) INTO THE 2 HOLES ON THE BOTTOM OF THE CRADLE.
6. SLIDE THE SOURCE UNIT (A) INTO THE SLEEVE ASSEMBLY FROM THE FRONT UNTIL IT LOCKS OR SNAPS INTO PLACE.



INSTALLATION INSTRUCTIONS [CONTINUED]


7. INSTALL THE M4X8 BOLT AND LOCK WASHER (F) THROUGH THE REAR MOUNTING HOLE OF THE CRADLE AND INTO THE SOURCE UNIT.
8. INSTALL THE O-RINGS ON THE BEZEL IN THE GROOVES PROVIDED: BATWING FAIRINGS TYPICALLY USE BOTH; SHARKNOSE FAIRINGS TYPICALLY USE ONLY ONE IN THE FRONT GROOVE.

NOTE: FOR PAINTED INNER FAIRINGS, THE O-RINGS MAY BE TOO TIGHT. USE CAUTION WHEN TEST FITTING, AND CONSIDER THESE O-RINGS OPTIONAL DEPENDING ON YOUR PARTICULAR FAIRING.
9. WITH THE IGNITION OFF, REMOVE THE FRONT FAIRING COVER.

TIP: REFER TO MANUFACTURERS INSTRUCTIONS IF NECESSARY.
10. REMOVE EXISTING SOURCE UNIT OR RADIO IF APPLICABLE.

TIP: REFER TO MANUFACTURERS INSTRUCTIONS IF NECESSARY.
11. INSERT SOURCE UNIT ASSEMBLY AS ONE UNIT THROUGH THE FRONT OPENING IN THE INNER FAIRING, MAKING SURE THAT THE WIRING FREE FALLS INTO THE FAIRING WITHOUT CATCHING OR BEING PINCHED BY ANYTHING.
12. LINE UP THE MOUNTING HOLES ON THE SIDES OF THE CRADLE WITH THE FACTORY MOUNTING HOLES IN THE FAIRING BRACES, AND INSTALL THE SOURCE UNIT ASSEMBLY USING THE FACTORY RADIO HARDWARE.

TIP: FACTORY RADIO HARDWARE: 1/4"-20 X 3/4" BOLTS



WARRANTY INFORMATION

HAWG WIRED OFFERS A LIMITED WARRANTY OF OUR PRODUCTS ON THE FOLLOWING TERMS:

- **LENGTH OF WARRANTY**

1 YEAR ON AUDIO SYSTEMS, ELECTRONICS, SPEAKERS, AND ACCESSORIES (RECEIPT REQUIRED).

- **COVERAGE**

THIS WARRANTY COVERS ONLY THE ORIGINAL PURCHASER OF A HAWG WIRED PRODUCT PURCHASED FROM AN AUTHORIZED HAWG WIRED DEALER IN THE UNITED STATES. IN ORDER TO RECEIVE SERVICE, THE PURCHASER MUST PROVIDE HAWG WIRED WITH A COPY OF THE RECEIPT STATING THE CUSTOMER NAME, DEALER NAME, PRODUCT PURCHASED AND DATE OF PURCHASE.

- **DEFECTIVE PRODUCTS**

PRODUCTS FOUND TO BE DEFECTIVE DURING THE WARRANTY PERIOD WILL BE REPAIRED OR REPLACED (WITH A PRODUCT DEEMED TO BE EQUIVALENT) AT HAWG WIRED'S DISCRETION.

- **WHAT IS NOT COVERED**

DAMAGE CAUSED BY ACCIDENT, ABUSE, IMPROPER OPERATIONS, WATER, THEFT
 ANY COST OR EXPENSE RELATED TO THE REMOVAL OR REINSTALLATION OF PRODUCT
 SERVICE PERFORMED BY ANYONE OTHER THAN AN AUTHORIZED HAWG WIRED SERVICE CENTER
 ANY PRODUCT WITH THE SERIAL NUMBER OR TAMPER LABELS DEFACED, ALTERED, OR REMOVED
 SUBSEQUENT DAMAGE TO OTHER COMPONENTS
 ANY PRODUCT PURCHASED OUTSIDE THE U.S.
 ANY PRODUCT NOT PURCHASED FROM AN AUTHORIZED HAWG WIRED DEALER

- **LIMIT ON IMPLIED WARRANTIES**

ANY IMPLIED WARRANTIES INCLUDING WARRANTIES OF FITNESS FOR USE AND MERCHANTABILITY ARE LIMITED IN DURATION TO THE PERIOD OF THE EXPRESS WARRANTY SET FORTH ABOVE. SOME STATES DO NOT ALLOW LIMITATIONS ON THE LENGTH OF AN IMPLIED WARRANTY, SO THIS LIMITATION MAY NOT APPLY. NO PERSON IS AUTHORIZED TO ASSUME FOR HAWG WIRED ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OF THE PRODUCT.

- **HOW TO OBTAIN SERVICE**

PLEASE CALL 510.894.2999 FOR HAWG WIRED CUSTOMER SERVICE. YOU MUST OBTAIN A RETURN MATERIAL AUTHORIZATION NUMBER (RMA) TO RETURN ANY PRODUCT TO HAWG WIRED. YOU ARE RESPONSIBLE FOR SHIPPING CHARGES OF RETURNED PRODUCTS TO HAWG WIRED.

- **MADE IN THE USA**

OUR PRODUCTS ARE PROUDLY DESIGNED, DEVELOPED AND BUILT IN THE USA*. THE MAJORITY OF THE COMPONENTS USED IN THE CONSTRUCTION OF OUR PRODUCTS ARE PRODUCED BY AMERICAN COMPANIES. HOWEVER, DUE TO THE GLOBAL NATURE OF MODERN MANUFACTURING AND THE ELECTRONICS INDUSTRY IN GENERAL, SOME PARTS MAY BE MANUFACTURED IN OTHER COUNTRIES.

*OUR SPEAKERS ARE PROUDLY DESIGNED AND DEVELOPED IN THE USA. HOWEVER, DUE TO THE GLOBAL NATURE OF LOUDSPEAKER MANUFACTURING, OUR SPEAKERS ARE MANUFACTURED IN OTHER COUNTRIES.

HAWG WIRED, INC.

CONTACT US BY EMAIL

GENERAL INFORMATION – info@hawg-wired.com
 SALES AND MARKETING – sales@hawg-wired.com
 TECHNICAL SUPPORT – tech@hawg-wired.com

CONTACT US BY PHONE

MAIN 510.894.2999
 EFAX 510.217.6994

VISIT US ON THE WEB AT HAWG-WIRED.COM



COPYRIGHT © 2008 HAWG WIRED, INC. ALL RIGHTS RESERVED.
 REV.3D PRINTED IN THE U.S.A.